

BERGERE


DE FRANCE

Une fabrication française depuis 1946

Depuis plus de 70 ans, Bergère de France partage avec ses client(e)s sa passion du tricot et du crochet. Au cœur de la filature en Lorraine, les équipes mêlent les matières et les couleurs pour créer des fils uniques. Tous les ans, plus de 8 millions de pelotes sont fabriquées dans plus de 50 qualités et plusieurs centaines de teintes. De nouveaux modèles sont imaginés à chaque saison pour répondre au plus près aux attentes des passionnées des arts du fil.



*La laine
- fabriquée en France -*




AU CŒUR DE LA LORRAINE

Bergère de France vous offre ce modèle

Pour le réaliser, commandez votre laine
sur notre site Internet :

www.bergeredefrance.fr



PULL FORME CAPE



Qualité :
PARADOU

Aiguilles :
n° 4 et 5

Accessoires :
Anneaux marqueurs réf. 68395 (lot de 48)

Tailles

S

M

L

XL

XXL

Qualité **PARADOU**

Nombre de pelotes

Mandarin

43183

5

6

6

7

7

Point employé

JERSEY ENDROIT, aig. n° 4 et 5.

Echantillon

Pour réussir votre modèle, il est important de tricoter l'échantillon (voir « L'indispensable échantillon » sur nos premières pages d'explications).

Un carré de 10 cm jersey endroit aig. n° 5 = 19 m. et 22 rgs.

Réalisation

DOS :

Monter **108-116-124-134-140** m. aig. n° 4. Tricoter jersey endroit.

A **3 cm** (8 rgs) de haut, continuer aig. n° 5.

Emmanchures :

A **26-27-27-28-29** cm (**58-62-62-64-66** rgs) de hauteur totale, glisser un anneau marqueur dans la première et la dernière m. pour marquer le début des emmanchures et continuer le jersey endroit.

Épaules et encolure :

A **47-49-51-53-55** cm (**104-110-114-118-122** rgs) de hauteur totale, **pour les épaules** rabattre de chaque côté tous les 2 rgs :

S : 9 x 3 m., 3 x 4 m.,

M : 6 x 3 m., 6 x 4 m.,

L : 3 x 3 m., 9 x 4 m.,

XL : 11 x 4 m., 1 x 5 m.,

XXL : 9 x 4 m., 3 x 5 m.,

en même temps que la 10ème diminution de la 1ère épaule, **pour l'encolure** rabattre les **24-26-28-30-32** m. centrales, puis continuer chaque côté séparément en rabattant côté encolure 1 x 3 m.

DEVANT :

Commencer comme au dos.

Emmanchures :

Marquer comme au dos.

Épaules et encolure :

A **47-49-51-53-55** cm (**104-110-114-118-122** rgs) de hauteur totale, **pour les épaules** rabattre comme

au dos ; **en même temps** que la 3ème diminution de la 1ère épaule, **pour l'encolure** rabattre les **14-16-18-20-22** m. centrales, puis continuer chaque côté séparément en rabattant côté encolure tous les 2 rgs 1 x 3 m., 1 x 2 m., 3 x 1 m.

COL :

Monter **81-85-89-93-97** m. aig. n° 4. Tricoter **8** rgs jersey endroit et laisser les m. en attente.

BORDURES D'EMMANCHURES (2) :

Monter **79-83-90-94-98** m. aig. n° 4. Tricoter jersey endroit.

Au **3ème** rg, tricoter 1 m. endroit, 2 m. ensemble endroit, continuer le rg et lorsqu'il reste 3 m. sur l'aig. gauche, tricoter 1 surjet simple, 1 m. endroit.

Tricoter **1** rg sur les **77-81-88-92-96** m. restantes.

Puis, augmenter de chaque côté à 1 m. du bord dès le 1er rg, puis tous les 2 rgs 2 x 1 m.

Tricoter **1** rg sur les **81-85-92-96-100** m. obtenues et laisser les m. en attente.

FINITIONS :

Assembler les épaules.


Poser à points arrière le col au bord de l'encolure. Puis, assembler les petits côtés.

Poser à points arrière une bordure au bord de chaque emmanchure de part et d'autre de la couture d'épaule entre les anneaux marqueurs. Puis, assembler les petits côtés.

Faire les coutures des côtés du pull.

Au bas du corps, plier 3 cm sur l'envers et ourler.

Plier le col et les bordures d'emmanchures par moitié sur l'envers et ourler.



CAPE STYLE SWEATER



Quality:
PARADOU



Needle sizes:
4.0 mm & 5.0 mm



Accessories:
Stitch markers ref. 68395 (pk of 48)

Sizes		S	M	L	XL	XXL
Quality PARADOU		Number of balls				
Mandarin	43183	5	6	6	7	7

Stitches used

STOCKING STITCH (St st), using 4.0 mm & 4.5 mm needles.

Row 1 (RS): knit.

Row 2: purl.

Rep these 2 rows.

Tension/Gauge

To achieve a good result it is essential to make a tension square (see "Check Your Tension" instructions at beginning of book).

19 sts & 22 rows over St st using 5.0 mm needles = 10 cm (4 in) square.

To make

BACK:

Using 4.0 mm needles CO **108-116-124-134-140** sts. Starting with a knit row work in St st until work measures **3 cm (1 in)** [**8** rows] total.

Change to 5.0 mm needles & cont in St st until work measures **26-27-27-28-29 cm (10¼-10½-10½-11-11½ in)** [**58-62-62-64-66** rows] total.

Armholes:

Slip a stitch marker into the first & last stitch of the row to mark the beg of the armholes & cont in St st until work measures **47-49-51-53-55 cm (18½-19¼-20-20¼-21½ in)** [**104-110-114-118-122** rows] total.

Shoulders & Neck:

Cast off at the beg of every row as foll: **3-3-3-4-4** sts **18-12-6-20-18** times, **4-4-4-0-5** sts **2-8-14-0-2** times. **46-48-50-54-58** sts rem.

Next row (RS): Cast off **4-4-4-4-5** sts, work **7-7-7-8-8** sts, cast off the central **24-26-28-30-32** sts **for neck**, work to end.

Next row (WS): Cast off **4-4-4-4-5** sts, work to cast off sts, put rem sts on a stitch holder. Work will now be completed in 2 sections.

Next row (RS): Cast off 3 sts work to end.

Next row (WS): Cast off rem **4-4-4-5-5** sts.

With WS facing pick up sts left on stitch holder. Cast off 3 sts, work to end. Cast off rem **4-4-4-5-5** sts on next row.

FRONT:

Start as for Back, marking armholes at same height.

Neck & Shoulders:

When work measures **47-49-51-53-55 cm (18½-19¼-20-20¼-21½ in)** [**104-110-114-118-122** rows] total cast off at the beg of every row as foll: **3-3-3-4-4** sts 6 times. **90-98-106-110-116** sts rem.

Next row (RS): Cast off **3-3-4-4-4** sts, work **35-38-40-41-43** sts, cast off the central **14-16-18-20-22** sts **for neck**, work to end.

Next row (WS): Cast off **3-3-4-4-4** sts, work to cast off sts, put rem sts on a stitch holder. Work will now be completed in 2 sections.

Next row (RS): Cast off 3 sts work to end. **32-35-37-38-40** sts rem.

Next row (WS): Cast off **3-3-4-4-4** sts, work to end.

Next row (RS): Cast off 2 sts, work to end. **27-30-31-32-34** sts rem.

Next row (WS): Cast off **3-3-4-4-4** sts, work to end.

Next row (RS): Cast off 1 st, work to end. **23-26-26-27-29** sts rem.

Next row (WS): Cast off **3-4-4-4-4** sts, work to end.

Next row (RS): Cast off 1 st, work to end. **19-21-21-22-24** sts rem.

Next row (WS): Cast off **3-4-4-4-4** sts, work to end.

Next row (RS): Cast off 1 st, work to end. **15-16-16-17-19** sts rem.

Cont to cast off at the beg of every WS row as foll: **3-0-0-4-4** sts **1-0-0-3-1** times, then **4-4-4-5-5** sts **3-4-4-1-3** times.

With WS facing pick up sts left on stitch holder.

Next row (WS): Cast off 3 sts, work to end.

Next row (RS): Cast off **3-3-4-4-4** sts, work to end. **29-32-33-34-36** sts rem.


Next row (WS): Cast off 2 sts, work to end.

Next row (RS): Cast off **3-3-4-4-4** sts, work to end. **24-27-27-28-30** sts rem.

Next row (WS): Cast off 1 st, work to end.

Next row (RS): Cast off **3-4-4-4-4** sts, work to end. **20-22-22-23-25** sts rem.

Next row (WS): Cast off 1 st, work to end.



Next row (RS): Cast off 3-4-4-4-4 sts, work to end. 16-17-17-18-20 sts rem.

Next row (WS): Cast off 1 st, work to end. 15-16-16-17-19 sts rem.

Cont to cast off at the beg of every RS row as foll:
3-0-0-4-4 sts 1-0-0-3-1 times, then 4-4-4-5-5 sts
3-4-4-1-3 times.

NECKBAND:

Using 4.0 mm needles CO 81-85-89-93-97 sts.
Starting with a knit row work 8 rows of St st then leave on a spare needle.

ARMHOLE BORDERS (2):

Using 4.0 mm needles CO 79-83-90-94-98 sts.
Starting with a knit row work in St st for 2 rows.

Next row (RS - dec): k1, k2tog, work until 3 sts rem, sl 1, k1, pssso, k1.

Work 1 row on the rem 77-81-88-92-96 sts.

Next row (RS - inc): k1, inc 1, work to last st, inc 1, k1.

Rep this inc on foll RS row.

Work 1 row on the rem 81-85-92-96-100 sts then leave on a spare needle.

FINISHING:

Join shoulder seams.

Using backstitch graft the neckband around neck edge & join the short seams of neckband. (See "Knitting: Stitches/Techniques/Tips").

Using backstitch graft a border around each armhole over the shoulders, between the stitch markers, then join the short seams.

Sew side seams.

At the bottom of the body fold 3 cm (1 in) to the inside & hem.

Fold the neckband and the armhole borders in half & hem to the inside.

Secure & weave in all ends.

